

5.1kW split system reverse cycle air conditioner featuring wireless connectivity, inverter compressor, DC fan motor, Super ion filter & bio filter, 3D air flow, Follow-Me, LED remote, demand response capable. 5.1kW cooling/6.1kW heating capacity.



Product Details

FEATURES

DC Inverter technology	Sleep Mode	Self Clean function	Turbo Mode
FollowMe	3D Air	Connectivity	

BENEFITS

Enjoy a peaceful nights sleep

Sleep Mode is designed to create the ideal sleeping environment, providing you with ultimate comfort and more energy efficiency*. The Sleep Mode feature automatically adjusts the temperature to maintain optimal comfort throughout the night gradually increasing or decreasing the temperature as you sleep, preventing excessive cooling or heating and creating a quiet and uninterrupted sleep experience.*Based on Sleep Mode versus Normal Mode operation of Westinghouse air conditioner unit.

Effortless maintenance

With a touch of a button, the self-clean function effortlessly initiates a thorough cleaning cycle that helps remove the build up dirt, mildew and bacteria from the units components. It does this by cleaning the internal mechanisms of the air conditioner to help maintain a healthier environment.

Boost your cooling or heating

Turbo mode activates fast cooling or heating to bring your room to a desired temperature quickly and effectively. Use this on those extra hot or cold days to get comfortable quickly.

DC Inverter Technology

Our advanced DC Inverter technology offers efficient cooling and heating with less energy consumption*. The DC Inverter adjusts the cooling and heating output to meet your desired temperature, providing consistent comfort with less energy waste. *Based on air conditioners with non-DC inverter technology

Comfort controlled

FollowMe adjusts the temperature based on your remotes location, always ensuring youre comfortable, rather than adjusting to a sensor near the ceiling. No more guesswork required to be nice and comfy.

Even air flow in all directions

Our 3D Air circulates air in all directions, from left to right and top to bottom ensuring everyone is in optimal comfort throughout the room. Control is in your hands with the ability to turn this feature on and off based on your comfort level.



Control your comfort from anywhere with our +Home app You'll love the convenience of being connected to control your home's temperature from anywhere, at any time. With the touch of a button on your smartphone, you can adjust the temperature, set schedules, and monitor energy usage from the comfort of your couch or on the go.Our +Home APP* now also integrates with the Google and Amazon voice assistants, for the next level of control at home.*Internet and mobile device required.

Specifications

PRODUCT PROFILE

Domestic warranty details 5 (yrs)

Туре

reverse cycle

SPECIFICATIONS

Capacity cool watts	5100
Capacity Heat watts	6100
Current rating amps	13
Power Supply Connection Point	outdoor unit
Colour of fascia	White
Compressor type	rotary
Indoor sound pressure dBA high setting	45
Indoor sound pressure dBA low setting	37
Outdoor sound pressure dBA	59
Indoor air circulation max (ltr/s)	500
Ambient temperature range minimum	-15
Ambient temperature range maximum	50



SPECIFICATIONS

Moisture removal ltr/hour	0.41
Refrigerant weight (g)	1300
Refrigerant type	R32

ZONED ENERGY RATING LABEL (ZERL)

OUTDOOR UNIT DIMENSIONS

Hot Climate Cooling	4.5 Stars
Hot Climate Heating	4 Stars
Average Climate Cooling	4 Stars
Average Climate Heating	3 Stars
Cold Climate Cooling	4.5 Stars
Cold Climate Heating	2.5 Stars

Width (mm)	890
Height (mm)	673
Depth (mm)	342

INDOOR UNIT DIMENSIONS

Total width (mm)	1196	Features - Air Conditioners	anti o contr
Total height (mm)	370		sleep swing temp
Total depth (mm)	279		mode Mode diagr

FEATURES

ir	anti cold air function, remote
	control, manual operation, economy or
	sleep mode,air swing auto up/down,air
	swing auto left/right,auto restart,room
	temperature display,fan mode,auto
	mode,air direction control,Heating
	Mode, cooling mode, dry mode, self
	diagnosis



WSD51HWA-E

FEATURES

Filtration	biofresh,hepa,dust,Ion Filter
Remote control type	back lit,LED
Timer	24 hour
Anti corrosion treatment	gold shield
Fan speeds	low,medium,high,turbo,Auto,Silent
Display/ indicators	temperature,defrost

INSTALLATION REQUIREMENTS (PIPING AND WIRING)

Gas pipe size	12.7
Liquid pipe size	6.35
Maximum piping length vertical (m)	20
Maximum piping length (m)	30
Additional refrigerant required supplied charge length (g/m)	12
Maximum pipe length with supplied charge (m)	5

INDOOR UNIT PACKED DIMENSIONS

0.21
23.4
1280
455
355



INSTALLATION REQUIREMENTS (PIPING AND WIRING)

4

Wires connecting indoor unit to outdoor unit

OUTDOOR UNIT PACKED DIMENSIONS

Shipping Volume (m3)	0.3
Shipping Weight (Kg)	44.5
Pack Dimensions Width (mm)	995
Pack Dimension Height (mm)	730
Pack Dimension Depth (mm)	398



Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes theproducts that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours ofproducts illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640 fax: 1800 350 067 email: customercare@electrolux.com.au web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND telephone: 09 573 2230 fax: 09 573 2221 email: customercare@electrolux.co.nz web: www.electrolux.co.nz