**2.7kW split system reverse cycle air conditioner featuring wireless connectivity, inverter compressor, DC fan motor, Super ion filter & bio filter, 3D air flow, Follow-Me, LED remote, demand response capable. 2.7kW cooling/3.5kW heating capacity.**



# Product Details

## FEATURES

| | | | |
|---|---|---|---|
| Sleep Mode | Self Clean function | Turbo Mode | DC Invertor Technology |
| FollowMe | 3D Air | Connectivity | |

## BENEFITS

Enjoy a peaceful nights sleep
Sleep Mode is designed to create the ideal sleeping environment, providing you with ultimate comfort and more energy efficiency*. The Sleep Mode feature automatically adjusts the temperature to maintain optimal comfort throughout the night gradually increasing or decreasing the temperature as you sleep, preventing excessive cooling or heating and creating a quiet and uninterrupted sleep experience.*Based on Sleep Mode versus Normal Mode operation of Westinghouse air conditioner unit.

Effortless maintenance
With a touch of a button, the self-clean function effortlessly initiates a thorough cleaning cycle that helps remove the build up dirt, mildew and bacteria from the units components. It does this by cleaning the internal mechanisms of the air conditioner to help maintain a healthier home environment.

Boost your cooling or heating
Turbo mode activates fast cooling or heating to bring your room to a desired temperature quickly and effectively. Use this on those extra hot or cold days to get comfortable quickly.

DC Inverter Technology
Our advanced DC Inverter technology offers efficient cooling and heating with less energy consumption*. The DC Inverter adjusts the cooling and heating output to meet your desired temperature, providing consistent comfort with less energy waste. *Based on air conditioners with non-DC inverter technology

Comfort controlled
FollowMe adjusts the temperature based on your remotes location, always ensuring youre comfortable, rather than adjusting to a sensor near the ceiling. No more guesswork required to be nice and comfy.

Even air flow in all directions
Our 3D Air circulates air in all directions, from left to right and top to bottom ensuring everyone is in optimal comfort throughout the room. Control is in your hands with the ability to turn this feature on and off based on your comfort level.

Control your comfort from anywhere with our +Home app* You'll love the convenience of being connected to control your home's temperature from anywhere, at any time. With the touch of a button on your smartphone, you can adjust the temperature, set schedules, and monitor energy usage from the comfort of your couch or on the go. Our +Home APP* now also integrates with the Google and Amazon voice assistants, for the next level of control at home.*Internet and mobile device required.

# Specifications

## PRODUCT PROFILE

| | |
|---|---|
| Domestic warranty details (yrs) | 5 |
| Type | reverse cycle |
| Air conditioner type | Split system |

## SPECIFICATIONS

| | |
|---|---|
| Capacity cool watts | 2700 |
| Capacity Heat watts | 3500 |
| Current rating amps | 10.5 |
| Power Supply Connection Point | outdoor unit |
| Colour of fascia | White |
| Indoor sound pressure dBA high setting | 38 |
| Indoor sound pressure dBA low setting | 30 |
| Outdoor sound pressure dBA | 54 |
| Indoor air circulation max (ltr/s) | 222 |
| Ambient temperature range minimum | -15 |
| Ambient temperature range maximum | 50 |
| Moisture removal ltr/hour | 1.61 |

## SPECIFICATIONS

| | |
|---|---|
| Refrigerant weight (g) | 900 |
| Refrigerant type | R32 |

## ZONED ENERGY RATING LABEL (ZERL)

| | |
|---|---|
| Hot Climate Cooling | 7 Stars |
| Hot Climate Heating | 3.5 Stars |
| Average Climate Cooling | 6 Stars |
| Average Climate Heating | 3 Stars |
| Cold Climate Cooling | 6.5 Stars |
| Cold Climate Heating | 3 Stars |

## OUTDOOR UNIT DIMENSIONS

| | |
|---|---|
| Width (mm) | 805 |
| Height (mm) | 554 |
| Depth (mm) | 330 |

## INDOOR UNIT DIMENSIONS

| | |
|---|---|
| Total width (mm) | 855 |
| Total height (mm) | 297 |
| Total depth (mm) | 231 |

## FEATURES

| | |
|---|---|
| Features - Air Conditioners | anti cold air function,remote control,manual operation,economy or sleep mode,air swing auto up/down,air swing auto left/right,auto restart,room temperature display,fan mode,auto mode,air direction control,Heating Mode,cooling mode,dry mode,self diagnosis,demand-response enabled,low pressure detection,Remote Control Lock,Follow me,Turbo,Sleep mode,Wireless enabled |

## FEATURES

| | |
|---|---|
| Filtration | biofresh,hepa,dust,Ion Filter |
| Remote control type | back lit,LED |
| Timer | 24 hour |
| Anti corrosion treatment | gold shield |
| Fan speeds | low,medium,high,turbo,Auto,Silent |
| Display/ indicators | temperature,defrost |

## INSTALLATION REQUIREMENTS (PIPING AND WIRING)

| | |
|---|---|
| Gas pipe size | 9.52 |
| Liquid pipe size | 6.35 |
| Maximum piping length vertical (m) | 10 |
| Maximum piping length (m) | 25 |
| Additional refrigerant required supplied charge length (g/m) | 12 |
| Maximum pipe length with supplied charge (m) | 5 |

## INDOOR UNIT PACKED DIMENSIONS

| | |
|---|---|
| Shipping Volume (m3) | 0.1 |
| Shipping Weight (Kg) | 13.8 |
| Pack Dimensions Width (mm) | 920 |
| Pack Dimension Height (mm) | 370 |
| Pack Dimension Depth (mm) | 305 |

## INSTALLATION REQUIREMENTS (PIPING AND WIRING)

| | |
|---|---|
| Wires connecting indoor unit to outdoor unit | 4 |

## OUTDOOR UNIT PACKED DIMENSIONS

| | |
|---|---|
| Shipping Volume (m3) | 0.2 |
| Shipping Weight (Kg) | 35.1 |
| Pack Dimensions Width (mm) | 915 |
| Pack Dimension Height (mm) | 600 |
| Pack Dimension Depth (mm) | 370 |

# Terms and Conditions

**IMPORTANT**

**This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.**

**PRODUCT INFORMATION**

**The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes theproducts that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours ofproducts illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.**

**WARRANTY**

**This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.**

**ELECTROLUX HOME PRODUCTS AUSTRALIA**

**telephone: 1300 363 640**
**fax: 1800 350 067**
**email: customercare@electrolux.com.au**
**web: www.electrolux.com.au**

**ELECTROLUX HOME PRODUCTS NEW ZEALAND**

**telephone: 09 573 2230**
**fax: 09 573 2221**
**email: customercare@electrolux.co.nz**
**web: www.electrolux.co.nz**