

503L top freezer fridge, natural stainless steel with pole handles, FlexStor adjustable door bins, 4-star energy rating, FreshSeal™ sealed crisper with humidity control, & SpillSafe glass shelves





# **Product Details**

### **FEATURES**

Flat Door Design	Pole Handles	Full-width humidity controlled crisper bin	Spillsafe™ glass shelves
FamilySafe™ lockable compartment	Fingerprint Resistant Real Stainless Steel	Twist Ice & Serve Dispenser	LED lighting
Blue feature lighting	Multi-flow air delivery system	Frost free	More environmentally friendly refrigerant (R600a)
Internal electronic controls	Quick chill function	Temperature sensor	Service mode with diagnostics feature
Door alarm	Egg tray	Rear rollers	Adjustable front rollers
Hidden hinges			

### **BENEFITS**

Understanding new capacity and energy ratings
From the 15th August 2021, the way refrigerators are tested to
calculate Energy Star Ratings and energy consumption have
changed. This means that the capacity and energy rating
calculations have changed, however the product remains
unchanged. Be sure to check all new ratings to ensure that
your comparisons are consistent with the new standards.

Stylish Design

Crafted with ultra-modern flat doors, elegant handle options and your choice of Dark or Natural Real Stainless Steel or white your fridge will be the centrepiece of your kitchen. (Options vary by model)





### FreshSeal Crispers

Our FreshSeal Crispers have advanced seals, and with humidity control you get better flexibility to look after your food the right way. Our seals assist in preventing moisture loss, while the humidity control lets you provide a better environment for fresher tasting food.

### FlexStor Adjustable Door Bins

When life gets busy, flexibility is a life saver. Thats why Westinghouse created the FlexStor system. The adjustable door bins allow for quick and easy adjustment whenever or however you need it. We make it easy to do more with your fridge.

### SpillSafe™ Glass Shelves

Spills happen, but when they do, the world doesnt have to end. The Westinghouse SpillSafe™ glass shelves help with the mess by containing the spilt liquid to one shelf, so you have less to clean.



# **Specifications**

# PRODUCT PROFILE

Domestic warranty details (yrs)	2
Additional domestic warranty for the sealed refrigeration system only (yrs)	3
Refrigerator Type	top mount
Exterior door finish	Stainless steel
Handle design	bar handle
Fridge door opening	right
Cooling system	frost free
Refrigerant	R600a
Compressor	Inverter

### **DIMENSIONS**

Total height (mm)	1725
Cabinet height (mm)	1718
Total width (mm)	796
Cabinet width (mm)	790
Total depth (mm)	769
Cabinet depth (mm)	641
Depth door open 90degree (mm)	1457
Food Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	384
Freezer Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	119
Convertible Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	503
Food compartment capacity (gross in litres)	395



### **DIMENSIONS**

Freezer compartment capacity (gross in litres)	141
Total Gross Capacity (L)	536
Food compartment capacity (net in litres)	381
Total Net Capacity (L)	497

### **ENERGY**

Energy Star Rating - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	4
Energy Consumption (kWh/year) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	353
Energy Star Rating AS/NZS 4474.2:2009	4.0
Energy consumption AS/NZS 4474.2:2009 (kWhr/yr)	366

### **REFRIGERATOR SYSTEM**

Controls	electronic (without display)
Controls location	internal
Controls type	touch
Control functions	quick chill
Door alarm	fridge

### FOOD COMPARTMENT

# CHILLER COMPARTMENT

### **SHELVING**

Shelf material glass
----------------------





Large compartment	1
Small compartment	1

Type of shelf	spill safe shelf,adjustable shelf

### **CRISPERS**

Crisper lid/shelf	glass
Crispers Runner system	suspended
Full width crisper	1
Crisper features	humidity controlled

# **LIGHTING**

Feature lighting	blue LED
Main light	LED

# FOOD COMPARTMENT DOOR

BINS	
Deep bottle bin	1
Shallow bin	1

# **SPECIAL COMPARTMENTS**

compartment	Family Oafa laskable	4
compartment	Family Safe lockable	1
	compartment	

# FREEZER COMPARTMENT

ICE FACILITY	
Twist ice and serve	2

### **SHELVING**

Shelving	glass shelf
Type of shelf	spill safe shelf



# FREEZER DOOR

	IN٦	ſΕI	RN	IAL
--	-----	-----	----	-----

Freezer door bins - full width


1


Seals

fixed, mould resistant



# **Dimensions**







WTB5404SC

# X

**Minimum Recommended Airspaces** 

### If you have a cupboard above the refrigerator with a rear gap of less than 100mm (Y), recommended minimum clearance at the top of the refrigerator increases from 30mm to 70mm (X).







Front face of bench aligned

to front corner

**Please note:** Doors are designed to sit proud of cabinetry (not flush).

When positioned In a corner area, clearance of at least 350mm on the hinge side will allow the doors to open enough to enable the removal of bins and shelves. This required clearance increases to 550mm for those models with telescopic extension slide-out bins.

Dimensions         Product Height (H)         Product Width (W)         Product Depth (D)         Product Depth (D2) (Door Open)           WTB5400SC/ WC         1725         796         723         1457           WTB5404SC         1725         796         769         1457           WTB4600SC/ WC         1725         699         723         1360           WTB4604SC         1725         699         769         1360					
WTB5404SC       1725       796       769       1457         WTB4600SC/ WC       1725       699       723       1360	Dimensions				Depth (D2)
WTB4600SC/WC 1725 699 723 1360	WTB5400SC/ WC	1725	796	723	1457
	WTB5404SC	1725	796	769	1457
WTB4604SC 1725 699 769 1360	WTB4600SC/WC	1725	699	723	1360
	WTB4604SC	1725	699	769	1360

Airspace	Side - both	Тор	Behind
WTB5400SC/ WC	30	50	50
WTB5404SC	30	50	50
WTB4600SC/WC	30	50	50
WTB4604SC	30	50	50

### IMPORTANT

These dimensions are a guide only. All measurements are in millimetres (mm). For complete installation instructions, refer to the manual provided with product. © 2021 Electrolux Home Products Pty Ltd. ABN 51 004 762 341. W\_DIM\_LTM\_Oct21



# **Terms and Conditions**

### **IMPORTANT**

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

### PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

### WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

### **ELECTROLUX HOME PRODUCTS AUSTRALIA**

telephone: 1300 363 640 fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

**ELECTROLUX HOME PRODUCTS NEW ZEALAND** 

telephone: 09 573 2230 fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz